

BOOK PF

WORKING TIMETABLE

SUNDAY 15 DECEMBER 2024 to SATURDAY 07 JUNE 2025

FREIGHT AND DEPARTMENTAL TRAIN SERVICES

**OLD OAK COMMON TO READING
PADDINGTON TO GREENFORD LOOP
MAIDENHEAD TO CHALLOW
READING TO WESTBURY
DIDCOT TO CALVERT AND HEYFORD
DIDCOT TO STANDISH JN, WESTBURY, BATHAMPTON JN AND
STOKE GIFFORD
CHIPPENHAM, BATHAMPTON JN AND LAVINGTON TO WILTON JN
AND TAUNTON VIA WESTBURY
BARNT GREEN AND HARTLEBURY TO KEMBLE, CHARFIELD AND
SEVERN TUNNEL JUNCTION
SWINDON AND STANDISH JN TO AVONMOUTH AND SEVERN
TUNNEL JN
BRISTOL PARKWAY TO BATHAMPTON JN
AWRE AND PATCHWAY TO BRIDGEND
SUTTON BRIDGE JN TO NEWPORT
MACHEN QUARRY TO NEWPORT
CARDIFF VALLEYS
CARDIFF CENTRAL TO COURT SART JN
PORT TALBOT PARKWAY TO ROBESON SDGS
FILTON JN TO TAVISTOCK JN
EXETER TO TRURO VIA PLYMOUTH**

Network Rail
MILTON KEYNES

Produced and published by Network Rail, Planning Publication
 Email : NRT-WTT@NetworkRail.Co.Uk.
 Train Operating Companies and Infrastructure Company users should contact their own documentation control point

This timetable contains freight and departmental train services which are of a stable and regular nature, together with associated locomotive movements. There may, however, be occasions on which they will be subject to short notice alteration or cancellation in which case a separate advice will be given.

INDEX

Note that the Index now contains the Filename references for those users who are referring to the online or Adobe version of this document.

OLD OAK COMMON TO READING READING TO OLD OAK COMMON	PF01
PADDINGTON TO GREENFORD LOOP GREENFORD LOOP TO PADDINGTON	PF02
MAIDENHEAD TO CHALLOW CHALLOW TO MAIDENHEAD	PF03
READING TO WESTBURY WESTBURY TO READING	PF04
DIDCOT TO CALVERT AND HEYFORD HEYFORD AND CALVERT TO DIDCOT	PF05
DIDCOT TO STANDISH JN, WESTBURY, BATHAMPTON JN AND STOKE GIFFORD STOKE GIFFORD, BATHAMPTON JN, WESTBURY AND STANDISH JN TO DIDCOT	PF06
CHIPPENHAM, BATHAMPTON JN AND LAVINGTON TO WILTON JN AND TAUNTON VIA WESTBURY TAUNTON AND WILTON JN TO LAVINGTON, BATHAMPTON JN AND CHIPPENHAM VIA WESTBURY	PF07
BARNT GREEN AND HARTLEBURY TO KEMBLE, CHARFIELD AND SEVERN TUNNEL JUNCTION SEVERN TUNNEL JUNCTION, CHARFIELD AND KEMBLE TO HARTLEBURY AND BARNT GREEN	PF08
SWINDON AND STANDISH JN TO AVONMOUTH AND SEVERN TUNNEL JN SEVERN TUNNEL JN AND AVONMOUTH TO STANDISH JN AND SWINDON	PF09
BRISTOL PARKWAY TO BATHAMPTON JN BATHAMPTON JN TO BRISTOL PARKWAY	PF10
AWRE AND PATCHWAY TO BRIDGEND BRIDGEND TO PATCHWAY AND AWRE	PF11
SUTTON BRIDGE JN TO NEWPORT NEWPORT TO SUTTON BRIDGE JN	PF12

INDEX – Continued

MACHEN QUARRY TO NEWPORT NEWPORT TO MACHEN QUARRY	PF13
CARDIFF VALLEYS DOWN CARDIFF VALLEYS UP	PF14
CARDIFF CENTRAL TO COURT SART JN COURT SART JN TO CARDIFF CENTRAL	PF15
PORT TALBOT PARKWAY TO ROBESTON SDGS ROBESTON SDGS TO PORT TALBOT PARKWAY	PF16
FILTON JN TO TAVISTOCK JN TAVISTOCK JN TO FILTON JN	PF17
EXETER TO TRURO VIA PLYMOUTH TRURO TO EXETER VIA PLYMOUTH	PF18

NOTES

1. Where no separate time is shown for arrival and departure, the time indicated is the departure time.
2. Figures in light type indicate the time at which a train should pass a Station, Signal Box or Junction point.

FOUR-CHARACTER TRAIN IDENTIFICATION SYSTEM

The number inserted in each column above the train title is the description allocated under the four character train identification system and provides the following information:-

1. The first figure indicates the classification of the train.
2. The second character indicates the destination area or Zone (see also below).
3. The third and fourth figures represent the individual number of the train.

X In the second character indicates trains conveying out-of-gauge or other exceptional load. Signallers must ensure that they are in possession of the special conditions relevant to the train (s).

LIGHT LOCOMOTIVE MOVEMENTS

These will normally be allocated '0' followed by the individual number of the train they are "to work" or "after working". Numbers for timetabled light locomotive movements between Maintenance Depots or stabling points will have a unique number.

TIMING LOADS

The timing load description reflects the particular combination of trailing weight and traction type used for timing the train. The timing load used for any particular train is separate from and does not override the maximum load applicable for the route and traction concerned as published.

EXPLANATION OF ABBREVIATIONS, NOTES AND SYMBOLS**DAYS OF OPERATION**

M	Monday	TH	Thursday	S	Saturday
T	Tuesday	F	Friday	SUN	Sunday
W	Wednesday				

O The addition of the letter "O" indicates that the train will run on that day or those days only.

X The addition of the letter "X" indicates that the train will **not** run on that day or those days.

The days run normally appear between square brackets, e.g. [SX]. In the case of overnight trains, the days run may appear between asterisks indicating that the train departure was on the previous day, e.g. *MX*. In this example they indicate that the main train starting point is SX but all the times in that particular column are MX.

OPERATING CHARACTERISTICS

B	Vacuum braked	Y	May run to alternative destination, from alternative
G	Train (wo)man required		origin or via an intermediate route
Q	Runs as required		Light locomotive

TRAIN COLUMN NOTES AND ACTIVITIES

AE	Stops to attach/detach assisting locomotive (s)
C	Stops only to change traincrew
D	Stops to detach
L	Stops to change locomotive
OP	Stops for other operational reasons
OR	Train locomotive in rear
PR	Propelling movement between points shown
Q	Runs when required
RM	Stops for reversing movement or driver to change ends
RR	Stops to run round
U	Stops to attach
X	Points at which trains (a) run from one running line to another, or (b) crossing point at which trains on single lines will cross
a	Arrives 1 minute earlier
b	Arrives 1½ minutes earlier
c	Arrives 2 minutes earlier
d	Arrives 2½ minutes earlier
e	Arrives 3 minutes earlier
f	Arrives 3½ minutes earlier
g	Arrives 4 minutes earlier
h	Arrives 4½ minutes earlier
j	Arrives 5 minutes earlier
*	Stops or shunts for other trains ahead or to pass only (* in arrival and departure times)
	Traffic and/or shunts for other trains to pass (* in departure time)
 	Light Locomotive(s)
§	Indicates train number change en route
[3]	Indicates the number of minutes allowed for temporary speed restrictions and other engineering work
(2)	Extra time for pathing requirements
Ø	See explanatory note ('k' or 'n' may also be used)
@	Operating change at this location

This page intentionally left blank